

## CLAIMS

1. A method for treating disorders or diseases wherein a glucagon antagonistic action is beneficial, said method comprising administering to a subject in need thereof an effective  
5 amount of a compound which is selected from
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
10 propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 50

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino]-propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino]-propionic acid
- 20 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-  
5-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-  
5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid



- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 45

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a  
pharmaceutically acceptable salt thereof.

2. The method according to claim 1, wherein the effective amount of the compound is in the range of from about 0.05 mg to about 2000 mg per day.
3. The method according to claim 1, wherein the effective amount of the compound is in the range of from about 0.1 mg to about 1000 mg per day.
4. The method according to claim 1, wherein the effective amount of the compound is in the range of from about 0.5 mg to about 500 mg per day.
5. A method for treating glucagon-mediated disorders and diseases, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino]-propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino]-propionic acid
- 30 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid



- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-methyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-amino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-benzoylamino}propionic acid
- 50 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-amino}propionic acid

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

- 5 6. A method for treating hyperglycemia, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino]-propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino]-propionic acid
- 20 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-amino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-amino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid



- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 45

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a  
pharmaceutically acceptable salt thereof.

- 50 7. A method for lowering blood glucose in a mammal, said method comprising administer-  
ing to said mammal an effective amount of a compound which is selected from

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino]-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino]-propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid



- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic  
acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 35 or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a  
pharmaceutically acceptable salt thereof.
8. A method for treating impaired glucose tolerance, said method comprising administering
- 40 to a subject in need thereof an effective amount of a A compound which is selected from  
3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 50 3-{4-[3-[1(*S*)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino]-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino]-  
propionic acid
- 5 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-  
5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-  
5-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 10 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid



- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxo)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 25 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a  
pharmaceutically acceptable salt thereof.
- 30 9. A method for treating Type 2 diabetes, said method comprising administering to a subject  
in need thereof an effective amount of a compound which is selected from
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-  
5-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-  
5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid



- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 15 or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a  
pharmaceutically acceptable salt thereof.
10. A method for delaying the progression from impaired glucose tolerance to Type 2 diabe-  
tes, said method comprising administering to a subject in need thereof an effective amount of
- 20 a compound which is selected from
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 50

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid



- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-  
ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-  
5-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-  
5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2*H*-tetrazol-5-yl)phenyl)ureidomethyl]-benzoylamino}propionic acid

- 5 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid

or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

10

11. A method for delaying the progression from non-insulin requiring Type 2 diabetes to insulin requiring Type 2 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from

- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid

- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid

25

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid

- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid

- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid

- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid

3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid

45

3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid

3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid

50

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoylamino}propionic acid



- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfony-4-butoxyphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino]-propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 25 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino]-propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-  
ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-methyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 50 or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.

12. A method for treating Type 1 diabetes, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 10 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid



- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-iodophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino]-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 15 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino]-propionic acid
- 20 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoyl-amino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-(3-cyano-5-trifluoromethylphenyl)-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a pharmaceutically acceptable salt thereof.
- 45 13. A method for treating obesity, said method comprising administering to a subject in need thereof an effective amount of a compound which is selected from
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid



- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}-propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-bromophenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-fluorophenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}-propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-5-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-*tert*-butylphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(3-*tert*-butylphenyl)ureidomethyl}benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-*tert*-butylphenyl)ureidomethyl}benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(3-hydroxymethyl-4-trifluoromethoxyphenyl)ureido-methyl}benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylthiophenyl)ureidomethyl}benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(3-methylthiophenyl)ureidomethyl}benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylthiophenyl)ureidomethyl}benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-iodophenyl)ureidomethyl}benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-iodophenyl)ureidomethyl}benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(3-iodophenyl)ureidomethyl}benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl}benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl}benzoyl-amino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylsulfonyl-4-butoxyphenyl)ureidomethyl}benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl}benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(2-butyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureido-methyl}benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl}benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 50 3-{4-[3-[1(*S*)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylphenyl)ureidomethylbenzoylamino]-propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-isopropyl-[1,2,4]oxadiazol-5-ylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohexylcyclohexyl)ureidomethylbenzoylamino]-propionic acid
- 3-{4-[3-[1(S)-(4-chlorophenyl)ethyl]-1-(4-cyclohex-1-enylphenyl)ureidomethylbenzoylamino]-propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-isopropyl-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenylsulfamoyl-4-methylphenyl)ureidomethyl]-benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)-ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2-[2,2,2-trifluoroethyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindol-5-yl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylcyclohexyl)-3-(5-methylsulfonylthiophen-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohexylphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[3-biphenyl-2-ylmethyl-1-(4-cyclohex-1-enylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-trifluoromethyl-4-chlorophenyl)ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(2,2,4,4-tetrafluorobenzo[1,3]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzothiazol-2-yl-4-trifluoromethoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,3,4,4-tetrafluorobenzo[1,4]dioxin-6-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-fluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylphenyl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 20 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitrophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}-propionic acid
- 25 3-{4-[1-(4-cyclohexylphenyl)-3-(3-nitro-4-methylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-cyanophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-phenoxyphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylcyclohexyl)-3-(3,5-difluorophenyl)ureidomethyl]benzoylamino}propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-7-trifluoromethylbenzothiazol-2-yl)ureido-methyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(7-trifluoromethoxybenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(4-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(5,6-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]benzoyl-amino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromo-7-fluorobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-bromobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5,7-bis(trifluoromethyl)benzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(6,6,8,8-tetrafluoro-6*H*-dioxino[5,4-*f*]benzothiazol-2-yl)-ureidomethyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5,6-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-fluoro-6-trifluoromethylbenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-(tetrafluoroethylenedioxy)benzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 40 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]-benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(6-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}-propionic acid
- 50 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(6,7-dichlorobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethylthiobenzothiazol-2-yl)ureidomethyl]benzoylamino}propionic acid

- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-cyanobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 10 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-methylbenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-cyanobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-trifluoromethyl-6-bromobenzothiazol-2-yl)ureido-  
methyl]benzoylamino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(5-*tert*-butylbenzothiazol-2-yl)ureidomethyl]benzoylamino}-  
propionic acid
- 30 3-{4-[1-(4-cyclohexylphenyl)-3-(5-trifluoromethyl-7-methoxybenzothiazol-2-yl)ureidomethyl]-  
benzoylamino}propionic acid
- 35 3-{4-[1-(4-cyclohexylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-methylsulfonyl-4-methylphenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 40 3-{4-[1-(4-cyclohexylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-ethylthiophenyl)ureidomethyl]benzoylamino}propionic  
acid
- 45 3-{4-[1-(4-cyclohexylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enylphenyl)-3-(3-acetylphenyl)ureidomethyl]benzoylamino}propionic  
acid
- 50 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid



- 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(3-chloro-4-cyanophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 5 3-{4-[1-(4-cyclohexylphenyl)-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(3-chloro-4-bromophenyl)ureidomethyl]benzoylamino}-  
propionic acid
- 10 3-{4-[1-(4-cyclohexylphenyl)-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(2-methyl-1,3-dioxo-2,3-dihydro-1H-isoindol-5-yl)ureido-  
methyl]benzoylamino}propionic acid
- 15 3-{4-[1-(4-cyclohexylphenyl)-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(3-benzooxazol-2-yl-4-trifluoromethoxyphenyl)ureido-  
methyl]benzoylamino}propionic acid
- 20 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 3-{4-[1-(4-cyclohexylphenyl)-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 25 3-{4-[1-(4-cyclohex-1-enyl)phenyl]-3-(3-(2-methyl-2H-tetrazol-5-yl)phenyl)ureidomethyl]-  
benzoylamino}propionic acid
- 3-{4-[3-(3-cyano-5-trifluoromethyl)phenyl]-1-(4-cyclohex-1-enyl)phenyl)ureidomethyl]benzoyl-  
amino}propionic acid
- 30 or any optical or geometric isomer or tautomeric form thereof including mixtures of these or a  
pharmaceutically acceptable salt thereof.
14. The method according to claim 1, said method further comprising administering to a  
35 subject in need thereof an antidiabetic agent.
15. The method according to claim 1, said method further comprising administering to a sub-  
ject in need thereof an antiobesity agent.
- 40 16. The method according to claim 1, said method further comprising administering to a sub-  
ject in need thereof an antihypertensive agent.